

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name FRESH CARE LIQUID

Other means of identification

Product code 047000100

UN/ID No. 1993

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Deodorizer.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

See Distributor information.

Distributor

QubicaAMF Worldwide
8100 AMF Drive
Mechanicsville, Virginia 23111 USA
+1-804-569-1000

QubicaAMF B.V.
Albert Plesmanweg 57
3088 GB Rotterdam, The Netherlands
tel +31-102985000
fax +31-102985002

Emergency telephone number

EMERGENCY TELEPHONE

ChemTel 24-hour Emergency Phone Numbers

United States, Canada, Puerto Rico, U.S. Virgin Islands: **1-800-255-3924** , Australia: **1-300-954-583** , Brazil: **0-800-591-6042** , China: **400-120-0751** , India: **000-800-100-4086** , Mexico: **01-800-099-0731** , All other countries (collect calls accepted): **+1-813-248-0585**

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 2

Label elements

Emergency Overview

DANGER

Hazard statements

Causes skin irritation

Causes serious eye irritation

Highly flammable liquid and vapor

**Appearance** Clear, Colorless**Physical state** Liquid**Odor** Floral scent. Acetone odor**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof electrical/ventilating/lighting/equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 If skin irritation occurs: Get medical advice/attention
 Wash contaminated clothing before reuse
 In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Acetone	67-64-1	30 - 60	
Ethanol	64-17-5	3 - 7	

4. FIRST AID MEASURES

First aid measures**General advice**

Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get

medical advice/ attention.

Inhalation IF INHALED: Remove to fresh air.

Ingestion IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

EXTREMELY FLAMMABLE.

Hazardous combustion products Carbon oxides.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. In the event of fire and/or explosion do not breathe fumes. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Refer to Section 8 (Exposure Controls/Personal Protection) for appropriate personal protective equipment.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

Incompatible materials Strong oxidizing agents. Alkalines. Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	(vacated) STEL: 2400 mg/m ³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m ³ TWA: 1000 ppm TWA: 2400 mg/m ³	2500 ppm
Ethanol 64-17-5	STEL: 1000 ppm	(vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	3300 ppm

Appropriate engineering controls

ENGINEERING CONTROLS Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses are recommended to minimize eye contact.

Skin and body protection Chemical resistant gloves are recommended to minimize skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION None normally required. Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Floral scent. Acetone odor
Appearance	Clear, Colorless	Odor threshold	No information available
Color	Colorless	Remarks • Method	
Property	Values		
pH	9.7 +/- 0.5		
Melting point/freezing point	No information available		
Boiling point / boiling range	> 36 °C / 97 °F		
Flash point	< 22 °C / 72 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		

Specific gravity	No information available
Water solubility	COMPLETE
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

Other Information

Softening point	No information available
VOC (EPA METH.24) (G/L):	< 60
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Explosion hazard if exposed to strong oxidizers.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight. Avoid all sources of ignition; heat, sparks and open flames.

Incompatible materials

Strong oxidizing agents. Alkalines. Acids.

Hazardous Decomposition Products

Oxides of Carbon.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Serious eye damage/eye irritation.
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Severely irritating to eyes.
Skin contact	Causes skin irritation.
Ingestion	Large amounts may cause irritation, nausea, diarrhea.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	-	-	= 50100 mg/m ³ (Rat) 8 h
Ethanol 64-17-5	-	-	= 124.7 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms	No information available.
-----------------	---------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
OTHER ADVERSE EFFECTS:	Not applicable.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information**12. ECOLOGICAL INFORMATION**Ecotoxicity

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Acetone 67-64-1	-	8300: 96 h Lepomis macrochirus mg/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50	12600 - 12700: 48 h Daphnia magna mg/L EC50 10294 - 17704: 48 h Daphnia magna mg/L EC50 Static
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
Acetone 67-64-1	-0.24
Ethanol 64-17-5	-0.32

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONSWaste treatment methods**Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATIONDEPT. OF TRANSPORTATION

UN/ID No.

1993

Proper shipping name	FLAMMABLE LIQUID, N.O.S. (ACETONE)
Hazard Class	3
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

TDG

UN/ID No.	1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (ACETONE)
Hazard Class	3
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

IATA

UN/ID No.	1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (ACETONE) (< 22° C c.c.)
Hazard Class	3
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

IMDG

UN/ID No.	1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (ACETONE) (< 22° C c.c.)
Hazard Class	3
Packing Group	II
EmS-No.	F-E, S-E
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	YES
----------------------------	-----

CHRONIC HEALTH HAZARD	No
FIRE HAZARD	YES
Sudden release of pressure hazard	No
REACTIVE HAZARD	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Acetone 67-64-1	5000	

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

PRODUCT COMPOSITION	CA PROP 65:
Ethanol - 64-17-5	Listed Developmental

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Acetone 67-64-1	0006	Listed	Listed
Ethanol 64-17-5	0844	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION**NFPA**

Health hazards 1

Flammability 3

Instability 0

Physical and Chemical Properties -

HMIS

Health hazards 1

Flammability 3

Physical hazards 0

Personal protection B

Revision Date 09/06/2017

Revision Note

Updated the Emergency Contact phone numbers.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***