



1. Identification of the substance/preparation and of the company/undertaking

1.1 Product Name: Reactor ML Lane Conditioner
Other Means of ID: None
Part Number(s): 294-006-048i, 294-006-049i
1.2 Recommended Use: Bowling Lane Conditioner
Restrictions on Use: None
1.3 Manufacturer: QubicaAMF Worldwide, LLC.
 8100 AMF Drive
 Mechanicsville, VA 23111, USA
Phone: (804) 730-4000; (800) 342-5263
E-mail: EU-Chemicals@qubicaamf.com (Worldwide); INFOSDS@qubicaamf.us (USA)
1.4 Emergency Phone: ChemTel 24-hour Emergency Numbers
USA, Canada, Puerto Rico, U.S. Virgin Islands: 1-800-255-3924
Australia: 1-300-954-583
Brazil: 0-800-591-6042
China: 400-120-0751
India: 000-800-100-4086
Mexico: 01-800-099-0731
All other countries: +1-813-248-0585 (collect calls accepted)

2. Hazards identification

2.1 Classification of the substance or mixture: This product is considered hazardous according to 29 CFR 1910.1200 and (EC) No. 1272/2008. This SDS is written to conform to both US and EU jurisdictions.

2.2 Label Elements



Pictogram(s)/Symbol(s): GHS07
Signal Word: Warning
 Eye Irritant 2
 Skin Irritant 2
 Chronic Aquatic 4

Hazard statements

H319: Causes serious eye irritation.
 H315: Causes skin irritation.
 H413: May cause long lasting harmful effects to aquatic life.

Precautionary Statements

Prevention: P264: Wash hands thoroughly after handling.
 P280: Wear protective gloves and splash resistant eye protection (goggles).
 P273: Avoid release to the environment.
Response: P305+P351+P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if easy to do, and continue rinsing.
 P337+P313: If eye irritation persists, get medical attention.
 P302+P352: If on skin, wash with plenty of soap and water.
 P321: No specific treatment is anticipated.
 P332+P313: If skin irritation occurs, get medical attention.
 P362: Take off contaminated clothing and wash before reuse.

Storage:

Disposal: P501: Dispose of contents and container as required by all local, state, federal and international laws or regulations.

2.3 Hazards not otherwise classified: None

Unknown toxicity: None

3. Composition/information on ingredients

Substance/preparation: preparation

Chemical name*	CAS Number	Concentration by weight (%)	EC Number	Classification*
White mineral oil (petroleum)	8042-47-5	85-94 [†]	232-455-8	---
glycols, polyethylene mono(trimethylnonyl)	60828-78-6	2-5 [†]	612-043-8	---
Hexadecane	544-76-3	0-1 [†]	208-878-9	---

[†]Exact concentration(s) and specific chemical identity have been withheld as trade secret.

*Occupational Exposure Limit(s), if available, are listed in section 8. See section 16 for the full text of the R phrases declared above.

4. First Aid Measures



4.1 Description of first aid measures

Skin Contact: No emergency care anticipated. Wash skin with soap and water. Remove contaminated clothing and wash before reuse. Seek medical assistance if irritation persists.

Eye Contact: No emergency care anticipated. While holding eyes open, flush eyes thoroughly with water for at least 15 minutes. If wearing contact lenses, remove lenses and flush eyes for several minutes. Seek medical attention if irritation continues.

Ingestion: Do not induce vomiting unless directed to do so by medical professional. Treat symptomatically. Never give anything by mouth to an unconscious person.

Inhalation: Remove victim from to fresh air and away from further exposure. Qualified personnel may give oxygen if breathing is difficult or cyanosis (blue discoloration of the skin) is noted. Give artificial respiration if subject is not breathing. Seek medical assistance if breathing difficulty continues.

4.2 Most Important Symptoms (acute and delayed)

Skin Absorption: This product is not expected to be harmful during short periods of contact. Repeated or prolonged contact with product may lead to skin irritation.

Eye Contact: Eye irritation may occur. Eye damage is unlikely.

Ingestion: Ingestion of small amounts of product is unlikely to cause injury and unlikely to have any toxic effects. The product may act as an intestinal lubricant and result in diarrhea. If vomiting occurs, aspiration may cause delayed pulmonary edema and chemical pneumonia.

Inhalation: This product is not likely to cause an inhalation hazard during normal recommended usage. Inhalation of mist or spray may be harmful and may cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at levels above the recommended exposure limit. Aspiration may cause pulmonary edema or aspiration pneumonia. Oil deposits in the lung may lead to fibrosis and reduced pulmonary function.

4.3 Indications of Immediate Medical Attention and Special Treatment Needed

Physician should treat symptomatically. Show physician this safety data sheet.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable: Treat as an oil fire. Use CO₂, dry powder, universal-type foam, and water fog

Unsuitable: Oil will float on water and can spread any fire.

5.2 Special Hazards Arising from Chemical: Material may splatter if temperature exceeds boiling point. Polymer film can burn.

Hazardous Combustion Products: Burning can produce soot, carbon dioxide, and other oxides

5.3 Special Fire Fighting Procedures: Use water spray to cool fire-exposed containers and structures.

Special Protective Equipment for Firefighters: Wear full protective gear and a self-contained breathing apparatus with full face-piece; MSHA/NIOSH approved or equivalent; operated in positive pressure mode.

5.4 Additional Information

Flash Point: >98.8°C (210°F)

Method: PMCC

6. Accidental Release Measures

6.1 Personal Precautions: Wear protective clothing including gloves and eye protection when taking up spills. Eliminate any ignition sources.

6.2 Environmental Precautions: This product is insoluble in water and will float on the surface. Prevent from entering sewers or drains.

6.3 Methods for Containment and Clean-up: Spills of this product can cause floor to be slippery. Use care to avoid falling. Cover drains and use spill dams to prevent spills from spreading. Absorb spilled product on an inert material such as sand, earth, or vermiculite. Spill clean-up materials should be collected in appropriately labeled containers for disposal. Dispose of material as required by all local, state, federal and international regulations and laws.

6.4 Reference to other sections: Note: see section 8 for personal protective equipment and section 13 for disposal considerations.

7. Handling and Storage

7.1 Safe Handling Precautions: Keep containers tightly closed to prevent contamination. Wear suitable personal protective equipment including gloves and splash resistant eye protection. Wash hands after use.

7.2 Safe Storage Requirements: Normal precautions should be followed in handling and storage. Keep container tightly closed. Storage between 4°C and 37°C (40°F - 100°F) is recommended.

7.3 Specific End Use(s): This product is intended for use as directed by the manufacturer and on the product label.

8. Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits/Standards

Substance Name	Form	Limit/Standard	Note	Source
White mineral oil (petroleum)	Inhalable fraction (mist)	TWA – 5mg/m ³		ACGIH, OSHA PEL, NIOSH REL

8.2 Exposure Controls

Engineering Measures: Local exhaust is preferred. Mechanical ventilation is acceptable. Special measures are not normally necessary under normal usage of product.



Hygiene Measures: Wash hands thoroughly after handling and at the end of the day. Remove contaminated clothing and clean it before re-use.

Respiratory Protection: Special respiratory protection is not required with normal usage of product. If vapor and/or mist are generated by heating, spraying, etc., wear an organic vapor respirator with an oil mist filter.

Hand and Skin Protection: Wear oil resistant gloves and protective clothing to minimize contact.

Eye Protection: Appropriate eye protection should always be worn when handling chemicals. Splash resistant eyewear is recommended when splashing is a concern.

Environmental Controls: See Section 7: Handling and Storage and Section 13: Disposal Considerations for measures to prevent environmental exposures during use and waste disposal.

9. Physical and Chemical Properties

9.1 Information on basic chemical and physical properties

Appearance: Water clear and slightly tinged liquid

Odor: Mild, solvent-like odor

Odor threshold: Note determined

Specific Gravity (H₂O=1): 0.870 @ 20°C

pH: Not determined

Melting/freezing point: Not determined

Initial boiling point/boiling range: Not determined

boiling range

Solubility in H₂O: Insoluble

Evaporation rate: Not determined

Vapor pressure: Not determined

Vapor density: Not determined

Partition coefficient (N-octanol/water): Not determined

Viscosity (cps): 45.0 @ 38°C

Flash Point: >98.8°C (210°F)

Method: PMCC

Flammability (solid, gas): Not determined

Explosive limits: Not determined

Auto ignition temp.: Not determined

Decomposition temp.: Not determined

10. Stability and Reactivity

10.1 Reactivity: Non-reactive when used according to specifications

10.2 Stability: Stable

10.3 Possibility of hazardous reactions: None under normal processing

10.4 Conditions to avoid: Avoid high heat, flames and sparks as a precaution.

10.5 Incompatible Materials: Product is normally unreactive.

10.6 Hazardous Decomposition Products: Burning can produce soot, carbon dioxide, carbon monoxide and other oxides.

Hazardous Polymerization: Will not occur

11. Toxicological Information

This product has not undergone animal lab testing to determine toxicity. Specific test data for the mixture is not available. Toxicological data for primary ingredient(s):

11.1 Information on toxicological effects

Product	Species	Test Results
White mineral oil (petroleum) (CAS #8042-47-5)		
Acute: Dermal LD50	Rat	>5g/kg
Oral LD50	Rat	>5000 mg/kg

Information on Likely Routes of Exposure and Toxicological Effects

Skin contact: Prolonged or repeated contact may lead to skin irritation by dermatitis.

Inhalation: Inhalation of mist or spray may be harmful.

Eye contact: Product may be irritating to the eyes causing swelling, tearing and redness.

Ingestion: Ingestion of product may cause nausea, vomiting and diarrhea.

Numerical measures of toxicity: The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral): 4855 mg/kg

ATEmix (dermal): 1995 mg/kg

ATEmix (inhalation-vapors): 11.6 mg/l

12. Ecological Information

There is no ecotoxicity data available for this product. Based on data available for white mineral oil (primary ingredient), this product is not expected to be readily biodegradable. Keep product out of sewage and drainage systems and all bodies of water as the toxicity of this material to aquatic organisms has not been evaluated.

12.1 Toxicity: No data available

12.2 Persistence and degradability: No data available

12.3 Bioaccumulative potential: No data available

12.4 Mobility in soil: No data available

12.5 Results of PBT and vPvB assessment: No data available

12.6 Other adverse effects: No data available

13. Disposal Considerations

13.1 Waste treatment methods: Dispose of product as used oil at designated sites. Minimize skin contact. Product packaging may be recycled or disposed at a designated facility. Empty container may contain residues. Do not attempt to clean or refill containers. European Waste Code: 13 08 99; Note: these codes are assigned based upon the



most common uses for this material and may not reflect contaminants from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste disposal code(s).

Methods of Disposal: Dispose of all waste in accordance with appropriate international, federal, state and local environmental control regulations.

Recommendations: Collect and reclaim or dispose in sealed containers at a licensed waste disposal site. The product may be collected and recycled at an oil recycling facility. Empty containers should be recycled by a licensed facility or taken to an appropriate waste facility for disposal.

14. Transport Information

14.1 UN Number: None

14.2 Proper shipping name/Technical name: Not regulated

14.3 Transport hazard class(es): Not applicable

DOT/ADR/RID (Road/Rail Transport): This product is not regulated by DOT/ADR/RID.

IMDG/IMO Classification (Sea Transport): This product is not regulated by IMDG/IMO.

ICAO/IATA Classification (Air Transport): This product is not regulated by ICAO/IATA.

14.4 Packaging group: Not applicable

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user: Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Consult IMO regulations before transporting ocean bulk.

15. Regulatory Information

15.1 Safety, health, and environmental regulations/legislation specific for the substance/mixture

US Regulations: This product is classified as an irritant, a hazardous chemical as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

State Regulations: California: This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

EU Regulations: The preparation is classified as dangerous; an irritant preparation; according to Directive REACH (EC) No. 1907/2006 and its amendment CLP (EC) No. 1272/2008.

Safety Phrase(s): S2: Keep out of the reach of children.

S7: Keep container tightly closed.

S24/25: Avoid any inhalation, contact with skin and eyes. Wear suitable protective clothing and gloves.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S39: Wear eye/face protection

15.2 Chemical safety assessment: Not applicable

16. Other Information

Full text of R-phrases, if any, with number appearing in section 3:

NFPA Rating

Health: 1
Flammability: 1
Instability: 0
Hazards: None

HMIS III Rating

Health: 1
Flammability: 1
Physical Hazard: 0
PPE: B


Hazard Rating Legend

0: Minimal Hazard
1: Slight Hazard
2: Moderate Hazard Special
3: Serious Hazard
4: Severe Hazard

HMIS III Ratings

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PROTECTIVE EQUIPMENT	B

NFPA Ratings



SDS: Reactor ML Lane Conditioner

SDS Revision Level: 2.5

SDS Revision Date: 6 September 2017

Revision Reason(s): Updated emergency contact information

Notice to Reader: Health and safety information presented on this form is generally applicable for recommended usage of this product. This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.